



[Log In](#) [Communities](#) [Main](#) [Advanced Search](#) [Contact Us](#) [Help](#)

Guidelines for Achieving a Compliant Query Practice

In court an attorney can't "lead" a witness into a statement. In hospitals, coders and clinical documentation specialists can't lead healthcare providers with **queries**. Therefore, appropriate etiquette must be followed when **querying** providers for additional health record information.

A **query** is a communication tool used to clarify documentation in the health record for accurate code assignment. The desired outcome from a **query** is an update of a health record to better reflect a practitioner's intent and clinical thought processes, documented in a manner that supports accurate code assignment. The final coded diagnoses and procedures derived from the health record documentation should accurately reflect the patient's episode of care.

The guidance of this practice brief augments and, where applicable, supersedes prior AHIMA guidance on **queries**. The intent of this practice brief is not to limit clinical communication for purposes of patient care. Rather it is to maintain the integrity of the coded healthcare data. All professionals are encouraged to adhere to these compliant **querying** guidelines regardless of credential, role, title, or use of any technological tools involved in the **query** process.

A proper **query** process ensures that appropriate documentation appears in the health record. Personnel performing the **query** function should focus on a compliant **query** process and content reflective of appropriate clinical indicators to support the **query**.

When and How to Query

The generation of a **query** should be considered when the health record documentation:

- Is conflicting, imprecise, incomplete, illegible, ambiguous, or inconsistent
- Describes or is associated with clinical indicators without a definitive relationship to an underlying diagnosis
- Includes clinical indicators, diagnostic evaluation, and/or treatment not related to a specific condition or procedure
- Provides a diagnosis without underlying clinical validation
- Is unclear for present on admission indicator assignment

Although open-ended **queries** are preferred, multiple choice and "yes/no" **queries** are also acceptable under certain circumstances.

Query Example: Clarification for Specificity of a Diagnosis

Documentation:

Obtunded patient admitted with three-day history of nausea and vomiting. CXR revealed right lower lobe (RLL) pneumonia. Clindamycin ordered.

Leading query:

Is the patient's pneumonia due to aspiration?

Nonleading query:

Can the etiology of the patient's pneumonia be further specified? It is noted in the admitting history

and physical examination (H&P) this obtunded patient had a history of nausea and vomiting prior to admission to the hospital and is treated with clindamycin for RLL pneumonia. Based on the above, can the etiology of the pneumonia be further specified? If so, please document the type/etiology of the pneumonia in the progress notes.

Source: AHIMA. "Guidance for Clinical Documentation Improvement Programs." *Journal of AHIMA* 81, no.5 (May 2010): expanded web version.

To support why a **query** was initiated, all **queries** must be accompanied by the relevant clinical indicator(s) that show why a more complete or accurate diagnosis or procedure is requested. Although AHA's *Coding Clinic* for ICD-9-CM often references clinical indicators associated with particular diagnoses, it is not an authoritative source for establishing the clinical indicators of a given diagnosis. A recent *Coding Clinic* issue also stated that it is not intended for such a purpose. Clinical indicators should be derived from the specific medical record under review and the unique episode of care. Clinical indicators supporting the **query** may include elements from the entire medical record, such as diagnostic findings and provider impressions.

A **query** should include the clinical indicators, as discussed above, and should not indicate the impact on reimbursement. A leading **query** is one that is not supported by the clinical elements in the health record and/or directs a provider to a specific diagnosis or procedure. The justification (i.e., inclusion of relevant clinical indicators) for the **query** is more important than the **query** format.

Because the patient record should provide a sequence of events, best practice is to capture the content of a verbal and/or written **query**, as well as any practitioner response to the **query**. This practice allows reviewers to account for the presence documentation that might otherwise appear out of context.

If the practitioner documents his or her **query** response directly into the health record and there is a lack of supporting clinical information, it is recommended the practitioner provide the clinical rationale for the diagnosis (i.e. "Patient transfused four days ago due to acute blood loss anemia") unless the **query** is maintained as a permanent part of the health record. Lack of clinical rationale may raise questions in the event of any secondary review. Organizations that opt to not maintain **queries** as part of the permanent health record are encouraged to maintain copies as part of the administrative, business record. If the practitioner documents his or her response only on the **query** form, then the **query** form should become part of the permanent health record.

Multiple choice **query** formats should include clinically significant and reasonable options as supported by clinical indicators in the health record, recognizing that there may be only one reasonable option. As such, providing a new diagnosis as an option in a multiple choice list—as supported and substantiated by referenced clinical indicators from the health record—is not introducing new information. Multiple choice **query** formats should also include additional options such as "clinically undetermined" and "other" that would allow the provider to add free text. Additional options such as "not clinically significant" and "integral to" may be included on the **query** form if appropriate.

The "yes/no" **query** format should be constructed to include the additional options associated with multiple choice **queries** (i.e., "other," "clinically undetermined," and "not clinically significant and integral to"). Yes/no **queries** may not be used in circumstances where only clinical indicators of a condition are present and the condition/diagnosis has yet to be documented in the health record. Also new diagnoses cannot be derived from a yes/no **query**.

In such circumstances, open-ended or multiple choice **query** formats must be used. It is not considered leading to include a new diagnosis as part of a multiple choice format when supported by clinical indicators (see "**Query Example: Yes/No Format**"). In addition to present on admission (POA) determinations, yes/no **queries** may be utilized under the following circumstances:

- Substantiating or further specifying a diagnosis that is already present in the health record (i.e., findings in pathology, radiology, and other diagnostic reports) with interpretation by a physician
- Establishing a cause and effect relationship between documented conditions such as manifestation/etiology, complications, and conditions/diagnostic findings (i.e., hypertension and congestive heart failure, diabetes

mellitus and chronic kidney disease)

- Resolving conflicting documentation from multiple practitioners

Unlike other qualifiers listed under the official coding guidelines for inpatient reporting of uncertain diagnoses, “possible” is a very broad term and therefore its use in a **query** is discouraged.

Query Example: Yes/No Format

Compliant Example 1

Clinical scenario: In the impression of the pathology report, ovarian cancer is documented; however, only ovarian mass is documented in the final discharge statement by the provider.

Query: Do you agree with the pathology report specifying the “ovarian mass” as an “ovarian cancer”? Please document your response in the health record or below.

Yes _____

No _____

Other _____

Clinically Undetermined _____

Name: _____ Date: _____

Rationale: This yes/no **query** involves confirming a diagnosis that is already present as an interpretation of a pathology specimen in the health record.

Compliant Example 2

Clinical scenario: Consulting pulmonologist documents pneumonia as an impression based on the chest X-ray. However, the attending physician documents bronchitis throughout the record, including in the discharge summary.

Query: Do you agree with the pulmonologist’s impression that the patient has pneumonia? Please document your response in the health record or below.

Yes _____

No _____

Other _____

Clinically Undetermined _____

Name: _____ Date: _____

Rationale: This is an example of a yes/no **query** resolving conflicting practitioner documentation.

Verbal Queries and Missing Clinical Indicators

Verbal **queries** should contain the same clinical indicators and follow the same format as written **queries** to ensure compliance and consistency in policy and process. Documentation of the verbal **query** may be condensed to reflect the stated information, but should identify the clinical indicators that support the **query** as well as the actual question posed to the practitioner. Verbal **queries** should be documented at the time of the discussion or immediately following.

The focus of external audits has expanded in recent years to include clinical validation review. The Centers for Medicare and Medicaid Services (CMS) has instructed coders to “refer to the *Coding Clinic* guidelines and **query** the physician when clinical validation is required.”¹ The practitioner does not have to use the criteria specifically outlined by *Coding Clinic*, but reasonable support within the health record for the diagnosis must be present.

When a practitioner documents a diagnosis that does not appear to be supported by the clinical indicators in the

health record, it is currently advised that a **query** be generated to address the conflict or that the conflict be addressed through the facility's escalation policy.

CMS recommends that each facility develop an escalation policy for unanswered **queries** and to address any staff concerns regarding **queries**. In the event that a **query** does not receive a professional response, the case should be referred for further review in accordance with the facility's escalation policy. The escalation process may include, but is not limited to, referral to a physician advisor, the chief medical officer, or other administrative personnel.

Query Example: Documented Conditions Without Clinical Indicators

These examples provide sample wording for documentation cases that include a diagnosis without an accompanying clinical indicator.

Clinical Scenario 1

Documentation: Laboratory finding of serum sodium of 120 mmol/L and the attending physician documents hypernatremia in the final diagnostic statement.

Query: Please review the laboratory section of the present record to confirm your discharge diagnosis of hypernatremia. Laboratory findings indicate a serum sodium of 120 mmol/L.

Clinical Scenario 2

Documentation: Four-year-old child sustains a cautery injury to upper lip during maxillofacial surgery. Silvadene and dressing is applied to the affected area at the completion of the procedure and plastic surgery was consulted. The surgeon documented in the operative report that there were "no intraoperative complications."

Query: Please review the operative note notation of "a cautery lesion to the upper lip," subsequent treatment with Silvadene and clarify your documentation of "no intraoperative complications."

Develop Query Retention Policies

Each organization should develop internal policies regarding **query** retention. Ideally, a practitioner's response to a **query** is documented in the health record, which may include the progress notes or the discharge summary. If the record has been completed, this may be an addendum and should be authenticated. As noted in AHIMA's toolkit, "Amendments in the Electronic Health Record," "the addendum should be timely, bear the current date, time, and reason for the additional information being added to the health record, and be electronically signed."

Organizational policies should specifically address **query** retention consistent with statutory or regulatory guidelines. The policy should indicate if the **query** is part of the patient's permanent health record or stored as a separate business record. If the **query** form is not part of the health record, the policy should specify where it will be filed and the length of time it will be retained. It may be necessary to retain the **query** indefinitely if it contains information not documented in the health record. Auditors may request copies of any **queries** in order to validate **query** wording, even if they are not considered part of the legal health record.

An important consideration in **query** retention is the ability to collect data for trend analysis, which provides the opportunity for process improvement and identification of educational needs.

Always Follow Best Practices

Healthcare professionals that work alongside practitioners to ensure accuracy in health record documentation should follow established facility policies and procedures that are congruent with recognized professional guidelines. This practice brief represents the joint efforts of AHIMA and the Association for Clinical Documentation Improvement Specialists to provide ongoing guidance related to **querying**. It specifies updates to

previous AHIMA practice briefs and provides support for an appropriate **query** process. As healthcare delivery continues to evolve, it is expected that future revisions will be required.

More Examples Online

View examples of different forms of **queries** (open ended, multiple choice, etc.) on the *Journal of AHIMA* website at <http://journal.ahima.org> and in Appendix A below.

Notes

1. Centers for Medicare and Medicaid Services. "Medicare Quarterly Provider Compliance Newsletter." Volume 1, Issue 4. July 2011.

References

AHA. *Coding Clinic*, Second Quarter, 2012, p. 21.

AHIMA. "Amendments in the Electronic Health Record." AHIMA Toolkit. Published August 15, 2012.

AHIMA. "Guidance for Clinical Documentation Improvement Programs." *Journal of AHIMA* 81, no.5 (May 2010): 45-50.

AHIMA. "Managing an Effective **Query** Process" *Journal of AHIMA* 79, no.10 (October 2008): 83-88.

Appendix A: Query Examples

Example Verbal Query Documentation

*The documentation of verbal **queries** should follow a standard format to include all necessary information.*

Spoke with Dr. X regarding the documentation of __(condition/procedure)__ based upon the clinical indicator(s) found in the health record __(list what was found and where)__.

Example Open-Ended Query

A patient is admitted with pneumonia. The admitting H&P examination reveals WBC of 14,000; a respiratory rate of 24; a temperature of 102 degrees; heart rate of 120; hypotension; and altered mental status. The patient is administered an IV antibiotic and IV fluid resuscitation.

Leading: The patient has elevated WBCs, tachycardia, and is given an IV antibiotic for Pseudomonas cultured from the blood. Are you treating for sepsis?

Nonleading: Based on your clinical judgment, can you provide a diagnosis that represents the below-listed clinical indicators?

In this patient admitted with pneumonia, the admitting history and physical examination reveals the following:

- WBC 14,000
- Respiratory rate 24
- Temperature 102° F
- Heart rate 120
- Hypotension

- Altered mental status
- IV antibiotic administration
- IV fluid resuscitation

Please document the condition and the causative organism (if known) in the medical record.

AHIMA. "Guidance for Clinical Documentation Improvement Programs." *Journal of AHIMA* 81, no.5 (May 2010): expanded web version.

Example Multiple Choice Query

A patient is admitted for a right hip fracture. The H&P notes that the patient has a history of chronic congestive heart failure. A recent echocardiogram showed left ventricular ejection fraction (EF) of 25 percent. The patient's home medications include metoprolol XL, lisinopril, and Lasix.

Leading: Please document if you agree the patient has chronic diastolic heart failure.

Nonleading: It is noted in the impression of the H&P that the patient has chronic congestive heart failure and a recent echocardiogram noted under the cardiac review of systems reveals an EF of 25 percent. Can the chronic heart failure be further specified as:

- Chronic systolic heart failure _____
- Chronic diastolic heart failure _____
- Chronic systolic and diastolic heart failure _____
- Some other type of heart failure _____
- Undetermined _____

AHIMA. "Guidance for Clinical Documentation Improvement Programs." *Journal of AHIMA* 81, no.5 (May 2010): expanded web version.

Example Yes/No Queries

Compliant Example 1

Clinical Scenario: A patient is admitted with cellulitis around a recent operative wound site, and only cellulitis is documented without any relationship to the recent surgical procedure.

Query: Is the cellulitis due to or the result of the surgical procedure? Please document your response in the health record or below.

Yes _____

No _____

Other _____

Clinically Undetermined _____

Name: _____ Date: _____

Rationale: This is an example of a yes/no query involving a documented condition potentially resulting from a procedure.

Compliant Example 2

Clinical scenario: Congestive heart failure is documented in the final discharge statement in a patient who is noted to have an echocardiographic interpretation of systolic dysfunction and is maintained on lisinopril, Lasix, and Lanoxin.

Query: Based on the echocardiographic interpretation of systolic dysfunction in this patient maintained on lisinopril, Lasix, and Lanoxin can your documentation of “congestive heart failure” be further specified as systolic congestive heart failure? Please document your response in the health record or below.

Yes _____

No _____

Other _____

Clinically Undetermined _____

Name: _____ Date: _____

Rationale: This yes/no **query** provides an example of determining the specificity of a condition that is documented as an interpretation of an echocardiogram.

Compliant Example 3

Clinical scenario: During the removal of an abdominal mass, the surgeon documents, in the description of the operative procedure, a “serosal injury to the stomach was repaired with interrupted sutures.”

Query: In the description of the operative procedure a serosal injury to the stomach was noted and repaired with interrupted sutures. Was this serosal injury and repair:

A complication of the procedure _____

Integral to the above procedure _____

Not clinically significant _____

Other _____

Clinically Undetermined _____

Please document your response in the health record or below accompanied by clinical substantiation.

Name: _____ Date: _____

Rationale: This is an example of a **query** necessary to determine the clinical significance of a condition resulting from a procedure.

Non-Compliant Example 1

Clinical scenario: On admission bilateral lower extremity edema is noted, however, there are no other clinical

indicators to support malnutrition.

Query: Do you agree that the patient's bilateral lower extremity edema is diagnostic of malnutrition? Please document your response in the health record or below.

Yes _____

No _____

Other _____

Clinically Undetermined _____

Name: _____ Date: _____

Rationale: Malnutrition is not a further specification of the isolated finding of a bilateral lower extremity edema. An open-ended or multiple choice **query** should be used under this circumstance to ascertain the underlying cause of the patient's edema.

Non-Compliant Example 2

Clinical scenario: A patient is admitted with an acute gastrointestinal bleed, and the hemoglobin drops from 12 g/dL to 7.5 g/dL and two units of packed red blood cells are transfused. The physician documents anemia in the final discharge statement.

Query: In this patient admitted with a gastrointestinal bleed and who underwent a blood transfusion after a drop in the hemoglobin from 12 g/DL on admission to 7.5 g /dL, can your documentation of anemia be further specified as an acute blood loss anemia? Please document your response in the health record or below accompanied by clinical substantiation.

Yes _____

No _____

Other _____

Clinically Undetermined _____

Name: _____ Date: _____

Rationale: In this example, a yes/no **query** is not appropriate for specifying the type of anemia. A multiple-choice or open-ended **query** is a better option.

Non-Compliant Example 3

Clinical Scenario: In the ED, a foley catheter was inserted for the patient with dysuria and elevated WBCs that was removed two days after admission. The cultures were positive for E.coli and the progress note reflect a catheter associated urinary tract infection (CAUTI) and this was coded. Quality has requested review of the HAC condition to ensure it should be coded as it does not meet the CDC definition for CAUTI.

Query: The quality department has indicated that your documented diagnosis of CAUTI does not meet the CDC

definition which impacts the Hospital Acquired condition statistics for your profile as well as the hospital. Does your patient have a catheter associated urinary tract infection?

Yes _____

No _____

Other _____

Clinically Undetermined _____

Name: _____ Date: _____

Rationale: This **query** is inappropriate as it explains the impact of the addition or removal of the diagnosis for the physician and hospital profiles. This **query** questions the physician's clinical judgment which may be more appropriate in an escalation policy and/or physician education regarding the CDC definition of CAUTI.

Prepared by

Sandra Bundenthal, RHIA, CCS
 Sue Belley, RHIA
 Angie Comfort, RHIT, CDIP, CCS, CCS-P
 Kathy DeVault, RHIA, CCS, CCS-P
 Melanie Endicott, MBA/HCM, RHIA, CDIP, CCS, CCS-P
 Cheryl Ericson, MSN, RN, CDIP, CCDS
 William Haik, MD, FCCP, CDIP
 Nicholas Holmes, MD, MBA
 Wendy Iravedra, RHIA, CHP
 Fran Jurcak, RN, MSN, CCDS
 Mary Meysenburg, MPH, RHIA, CCS
 Brian Murphy, CPC
 Cathy Seluke, RN, BSN, ACM, CCDS
 Susan Wallace, MEd, RHIA, CCS, CDIP, CCDS
 Paul Weygandt, MD, JD, MPH, MBA, CCS

Acknowledgments

Bonnie Aspiazu, JD, MBA, RHIA
 Dee Banet, RN, CDIP, CCDS
 Jan Barsophy, RHIT
 Sheila Bowlds, RHIA
 Kris Brukl, RHIT
 Gloryanne Bryant, RHIA, CDIP, CCS
 Jane DeSpiegelaere, MBA, RHIA, CCS, FAHIMA
 Rose Dunn, MBA, RHIA, CHPS, CPA, FACHE, FAHIMA
 Robert Gold, MD
 Garry Huff, MD
 Sandra Huyck, RHIT, CCS-P
 Jolene Jarrell, RHIA, CCS
 Gretchen Jopp, RHIA
 James Kennedy, MD, CDIP, CCS
 Trey La Charite, MD
 Tedi Lowjeski, RHIA, CCS, CHDA
 Katherine Lusk, MHSM, RHIA
 Patricia Maccariella-Hafey, RHIA, CCS, CCS-P, CIRCC

Lorie Mills, RHIT, CCS
Jennifer McCollum, RHIA, CCS
Andrea Myszewski, RHIA
Janice Noller, RHIA, CCS
Ranae Race, RHIT
Theresa Rihanek, RHIA, CCS
Laura Rizzo, MHA, RHIA
Andrew Rothschild, MD, MS, MPS, CCDS
Carol Smith
Bernice von Saleski, MAS, RHIA
Mary Webber, RHIT, CCS
Donna Wilson, RHIA, CCS, CCDS
Marna Witmer, RHIA
Gail Woytek, RHIA

The information contained in this practice brief reflects the consensus opinion of the professionals who developed it. It has not been validated through scientific research.

Article citation:

AHIMA. "Guidelines for Achieving a Compliant Query Practice." *Journal of AHIMA* 84, no.2 (February 2013): 50-53.

Copyright ©2013 American Health Information Management Association. All rights reserved. All contents, including images and graphics, on this Web site are copyrighted by AHIMA unless otherwise noted. You must obtain permission to reproduce any information, graphics, or images from this site. You do not need to obtain permission to cite, reference, or briefly quote this material as long as proper citation of the source of the information is made. Please [contact Publications](#) to obtain permission. Please include the title and URL of the content you wish to reprint in your request.